

ADVANCED TECHNOLOGY  
MADE IN AUSTRALIA

**BENNETT DION**


★ SURFBOARD  
FOAM SYSTEMS ★

# Shortboard Type

*Bennett-Dion AUST.*

*Speed Shape Model*


**5'9"SS**



<b>Actual Length</b>	5'9"
<b>Max. Width</b>	under 49.0cm
<b>Max.Thickness</b>	6.1cm
<b>History</b>	2008
<b>Rocker</b>	SS
<b>Weights</b>	UL TP
<b>Stringer</b>	1/8

データ数値 個体差あり

*for performance or all-rounder  
adjustable to tiny boards for kids*




*Bennett-Dion AUST.*


*Speed Shape Model*

**5'11"FRSS**

Rocker 13.45cm



Deck Length	5'11
Max. Width	50cm
Max.Thickness	6.8 cm~
History	2016
Rocker	FR
Weights	UL
Stringer	1/8




データ数値はあくまで参考値

\*アウトラインはカットされておりません (使用フォームによりアウトライン異なります)


*Performance to all-rounder*

# Bennett-Dion AUST.

## 6'1-D4



Bottom Length	187.0cm
Max. Width	50.5cm
Max.Thickness	7.2cm
History	2015
Rocker	D4
Weights	UL
Stringer	1/8




*for performance or all-rounder  
newly re-molded*

*Bennett-Dion AUST.*


*Speed Shape Model*

**6'2"FRSS**

Rocker 14.01cm




Deck Length	6'2
Max. Width	50cm
Max.Thickness	6.8 cm~
History	2016
Rocker	FR
Weights	UL
Stringer	1/8



データ数値はあくまで参考値


\*アウトラインはカットされておりません (使用フォームによりアウトライン異なります)

*for performance or all-rounder*


 **Peak of Japan**

# Bennett-Dion AUST.

## 6'4-D19




<b>Bottom Length</b>	195cm
<b>Max. Width</b>	52.5cm
<b>Max.Thickness</b>	6.9cm
<b>History</b>	2013
<b>Rocker</b>	671010
<b>Weights</b>	UL Team Pro
<b>Stringer</b>	1/8




*for performance or all-rounder  
natural and versatile curve  
applied to 6'7 plug*

# Bennett-Dion AUST.

## 6'4-mor



<b>Bottom Length</b>	195cm
<b>Max. Width</b>	52.5cm
<b>Max.Thickness</b>	6.9cm
<b>History</b>	2014
<b>Rocker</b>	67mor
<b>Weights</b>	UL Team Pro
<b>Stringer</b>	1/8




*Curvy rocker for performance or all-rounder  
Full model change from 6'4D3 model  
applied to 6'7 plug*




*Bennett-Dion AUST.*

**6'7** *D47*




<b>Actual Bottom Length</b>	<b>203.5cm</b>
<b>Max Width</b>	<b>52.5cm</b>
<b>Max Thickness</b>	<b>7.0cm</b>
<b>History</b>	<b>2013</b>
<b>Rocker</b>	<b>POJ4</b>
<b>Weights</b>	<b>UL</b>
<b>Stringer</b>	<b>1/8</b>



*for performance or all-rounder*

\*数値はあくまで目安参考値


*Bennett-Dion AUST.*



**6'7"**

**D69**


Actual Length	6'07" 202.1cm
Maximum Width	21 1/2 54.5cm
Maximum Thickness	7.0cm
History	1997
Rocker	D69
Weights	UL Team Rider
Stringer	1/8




*originally designed for profile machine cut  
nose flip kind curve*

*Bennett-Dion AUST.*

# 6'7 Thick SPR rocker




<b>Actual Bottom Length</b>	<b>203cm</b>
<b>Max. Width</b>	<b>50.5cm</b>
<b>Max.Thickness</b>	<b>7.8cm</b>
<b>History</b>	<b>2014</b>
<b>Rocker</b>	<b>SPR</b>
<b>Weights</b>	<b>UL</b>
<b>Stringer</b>	<b>1/8</b>




*Thicker version of 6'7  
Suitable for both hand shaping and profile machine cut  
Tail kick version of 6'7-D69 model*

*Bennett-Dion AUST.*

# 6'7 Thick D69 rocker




<b>Actual Bottom Length</b>	<b>203cm</b>
<b>Max. Width</b>	<b>50.5cm</b>
<b>Max.Thickness</b>	<b>7.8cm</b>
<b>History</b>	<b>2014</b>
<b>Rocker</b>	<b>D69</b>
<b>Weights</b>	<b>UL</b>
<b>Stringer</b>	<b>1/8</b>




*Thicker version of 6'7  
Suitable for both hand shaping and profile machine cut*

*Bennett-Dion AUST.*



**6'10"**


<b>Actual Bottom Length</b>	<b>212.0 cm</b>
<b>Max.Width</b>	<b>51.0cm</b>
<b>Max.Thickness</b>	<b>7.8cm</b>
<b>History</b>	<b>2014</b>
<b>Rocker</b>	<b>702-mor</b>
<b>Weights</b>	<b>SSL UL</b>
<b>Stringer</b>	<b>1/8 1/4 Redwood</b>




4inches chopped off tail from 7'2 plug  
*for all-rounder*  
*adjustable to narrower mini-boards*

*Bennett-Dion AUST.*

# **6'10 Fat spr rocker**




Actual Bottom Length	212.5 cm
Max.Width	54.5cm
Max.Thickness	8.5cm
History	2014
Rocker	SPR
Weights	UL
Stringer	1/8



*Newly released plug in late 2014  
For all-round, mini, fish, retro, fatter models or whatever.....  
Also machine profile cut friendly*


# Bennett-Dion AUST.



# 7'2"

## D3

Actual Length	7'02" 210.3cm
Maximum Width	21 7/8 55.6cm
Maximum Thickness	8.0cm
History	1998
Rocker	D3
Weights	SSL
Stringer	




*gun boards for bigger waves*


*Bennett-Dion AUST.*

Rocker  
6' 1/2"

**7'7"**  
**D2**



Actual Length	7'07" 231.4cm
Maximum Width	21 1/2 54.6cm
Maximum Thickness	7.4cm
History	1993
Rocker	D2
Weights	SSL
Stringer	



*gun boards for bigger waves*



Fish/Retro  
Type

*Bennett-Dion AUST.*

*Speed Shape Model*

**5'10"NBSS**

Rocker 10.76cm

Thickness

4.94cm

2.91cm

6.58cm

0.51cm

7.0cm

Center

6.46cm



0.44cm

5.16cm


1.6cm

4.03cm

Width  
58.0  
cm




Deck Length	5'10"
Max. Width	-58.0cm
Max.Thickness	6.8 to 7.2cm
History	2016
Rocker	NB
Weights	UL
Stringer	1/8



\*データ数値はあくまで参考値

\*アウトラインはカットされておりません (使用フォームによりアウトライン異なります)

*for retro or fish boards  
small miniboards also suited*




*Bennett-Dion AUST.*


*Speed Shape Model*

Rocker 11.37cm

**6'2"NBSS**




Deck Length	6'2"
Max. Width	58.0cm
Max.Thickness	6.8 to 7.2 cm
History	2016
Rocker	NB
Weights	UL
Stringer	1/8




データ数値はあくまで参考値

\*アウトラインはカットされておりません (使用フォームによりアウトライン異なります)

*for retro or fish boards  
small miniboards also good*

 Peak of Japan


*Bennett-Dion AUST.*




**6'2" F**

**DDR rocker**


<b>Actual Length</b>	6'2"
<b>Max. Width</b>	Under 58.5cm
<b>Max. Thickness</b>	8.2cm
<b>History</b>	2011
<b>Rocker</b>	DDR
<b>Weights</b>	SSL UL
<b>Stringer</b>	1/8



*for retro or fish boards*




*Bennett-Dion AUST.*




**6'2" F**

**1206 rocker**


<b>Actual Length</b>	6'2"
<b>Max. Width</b>	Under 58.5cm
<b>Max.Thickness</b>	8.2cm
<b>History</b>	2011
<b>Rocker</b>	1206
<b>Weights</b>	SSL UL
<b>Stringer</b>	1/8



*for retro or fish boards*




*Bennett-Dion AUST.*



**6'5"**

**KB5**

Actual Length	6'05" 197cm
Maximum Width	60.3cm
Maximum Thickness	7.9cm
History	
Rocker	KB5
Weights	SSL
Stringer	1/8



*originally designed for knee boards  
versatile for fish/retro boards*

*Bennett-Dion AUST.*

**6'9"**

**F5**

Width  
7 7/8 20.0cm

Rocker  
11.4cm

18 13/16  
47.8cm

Thickness  
2 1/8  
5.4cm

23 5/8  
60.0cm

3 1/16  
7.8cm

24 1/8  
61.3cm

8.4cm

18 7/8  
48.0cm

2 15/16  
7.5cm


18 3/8  
46.7cm

2 3/16  
5.6cm

12 15/16 22.7cm


3.8cm

Actual Length	6'09" 207.5cm
Maximum Width	24 1/8 61.3cm
Maximum Thickness	8.4cm
History	Terry Martin & Hobie 2007
Rocker	F5
Weights	SSL
Stringer	



*for retro or fish boards  
low, natural curve*


# Bennett-Dion AUST.



# 6'9"

## F3


Actual Length	6'09" 207.5cm
Maximum Width	24 1/8 61.3cm
Maximum Thickness	8.4cm
History	Terry Martin & Hobie 2007
Rocker	F5
Weights	SSL
Stringer	



*for retro or fish boards  
middle, natural curve*




*Bennett-Dion AUST.*



**6'9"**

**F2 Rocker**

Actual Length	6'09" 207.5cm
Maximum Width	$24 \frac{1}{8}$ 61.3cm
Maximum Thickness	8.4cm
History	Terry Martin &Hobie 2007
Rocker	F2
Weights	
Stringer	



*for retro or fish boards  
curvy rocker*


Funboard Type

*Bennett-Dion AUST.*


*Speed Shape Model*

Rocker  
10.6cm


**7'3MMss**



<b>Actual Length</b>	<b>223.0cm</b>
<b>Max.Width</b>	<b>58.00cm</b>
<b>Max.Thickness</b>	<b>8.3 to 8.5cm</b>
<b>History</b>	<b>2013</b>
<b>Rocker</b>	
<b>Weights</b>	<b>SSL</b>
<b>Stringer</b>	<b>1/4</b>




*Bennett-Dion AUST.*




**7'3mm**  
**MM21 Rocker**

Actual Length	7'03" 222.0cm
Max.Width	61.00cm
Max.Thickness	9.1cm
History	2011 NEW
Rocker	MM21
Weights	SSL
Stringer	1/4




This newly made 7'3 is thicker and wider all over than the original, ideal for small mini mals, retro fun shapes, big guy fishes or single fins and mini-longs. Will suit a wide range of rockers and be easy to machine and hand shape.

*Bennett-Dion AUST.*




**7'7mm**  
**MM21 Rocker**

<b>Actual Length</b>	7'07" 1/4 234.69cm
<b>Max.Width</b>	61.60cm
<b>Max.Thickness</b>	9.2cm
<b>History</b>	2011 NEW
<b>Rocker</b>	MM21
<b>Weights</b>	SSL
<b>Stringer</b>	1/4




Based on the original 7'7 Mini Mal with added width and thickness throughout. Will suit a wider range of plan shapes and rocker templates for mini mals, big guy fun shapes, large fish, retro shapes and mini longs. Ideal to either machine or hand shape.

*Bennett-Dion AUST.*



**7'10mm**  
**MM17 rocker**


<b>Actual Length</b>	<b>243.8cm</b>
<b>Recommended Max.Width</b>	<b>57.0cm</b>
<b>Max.Thickness</b>	<b>8.5cm</b>
<b>History</b>	<b>2012</b>
<b>Rocker</b>	<b>MM17</b>
<b>Weights</b>	<b>SSL</b>
<b>Stringer</b>	<b>1/4</b>




Based on the original 7'10 Mini Mal with added width and thickness throughout. Will suit a wider range of plan shapes and rocker templates for mini mals, big guy fun shapes, large fish, retro shapes and mini longs. Ideal to either machine or hand shape.

*Bennett-Dion AUST.*

**8'4"**



<b>Actual Bottom Length</b>	<b>256.5cm</b>
<b>Max. Width</b>	<b>58.0cm</b>
<b>Max.Thickness</b>	<b>8.9cm</b>
<b>History</b>	<b>2015</b>
<b>Rocker</b>	<b>SKMZ</b>
<b>Weights</b>	<b>SSL</b>
<b>Stringer</b>	<b>1/4 Redwood Multi stringer</b>



\*数値はあくまで目安参考値

Longboard  
Type




*Bennett-Dion AUST.*

*Speed Shape Model*


**9'2"SS**

**Performance**

**Model**



Actual Length	9'2"
Max. Width	Under 58.0cm
Max.Thickness	7.8-8.0cm
History	2009
Rocker	SS
Weights	SSL UL TP
Stringer	1/4




データ数値 個体差あり

*high performance model, tail flip*


# Bennett-Dion AUSTRALIA

# 9'6

## performance



Actual Bottom Length	292.5cm
Max. Width	58.0cm
Max.Thickness	8.9cm
History	2015
Rocker	V1 performance
Weight	Normal
Stringer Variation	




*Newly re-designed curve named as V1, suitable for the latest modern performance design*


\*数値はあくまで目安参考値

# Bennett-Dion AUSTRALIA

## 9'6" AR2



Actual Bottom Length	292.5cm
Max. Width	58.0cm
Max.Thickness	8.9cm
History	2016
Rocker	AR2
Weight	Normal
Stringer Variation	




*Newly re-designed curve for all round design through classic*


\*数値はあくまで目安参考値

# Bennett-Dion AUSTRALIA

## 9'8 CL3



<b>Actual Bottom Length</b>	296.0cm
<b>Max. Width</b>	59.0cm
<b>Max.Thickness</b>	8.9cm
<b>History</b>	2016
<b>Rocker</b>	CL3
<b>Weight</b>	Normal
<b>Stringer Variation</b>	Redwood Balsa 2stringer 3stringer 4 stringer etc.




*Newly re-designed curve for all classic design, latest or old school or whatever...*

\*数値はあくまで目安参考値


*Bennett-Dion AUST.*

**10'2"**

Rocker  
11.0cm



<b>Actual Bottom Length</b>	<b>312.0cm</b>
<b>Max Width</b>	<b>62.2cm</b>
<b>Max Thickness</b>	<b>9.0cm</b>
<b>History</b>	<b>2014</b>
<b>Rocker</b>	<b>BB</b>
<b>Weights</b>	<b>SSL</b>
<b>Stringer</b>	




数値はあくまで目安参考値

EPSS

# Bennett-Dion EPS Foam System

## EPS 6'7 SPR




<b>Deck Length</b>	201cm
<b>Max. Width</b>	60.0cm
<b>Max.Thickness</b>	8.2cm
<b>History</b>	2016
<b>Rocker</b>	SPR
<b>Weight</b>	x40 · x30
<b>Stringer</b>	1/8 No stringer

\* 数値はあくまで参考値

# Bennett-Dion EPS Foam System

## EPS 6'7 DD




<b>Deck Length</b>	201cm
<b>Max. Width</b>	60.0cm
<b>Max.Thickness</b>	7.8cm
<b>History</b>	2016
<b>Rocker</b>	DD
<b>Weights</b>	x40 · x 30
<b>Stringer</b>	1/8 No stringer

\*数値はあくまで参考値



# Bennett-Dion EPS Foam System

## EPS 6'7 FR



Rocker  
15.18cm

4.96cm

1.29cm

center

0.78cm

2.5cm


5.98cm

Deck Length	201cm
Max. Width	60.0cm
Max.Thickness	7.8cm
History	2016
Rocker	FR
Weights	x40 · x30
Stringer	1/8 No stringer

\*数値はあくまで参考値

EPS

# EPS7'6




<b>Actual Length</b>	
<b>Max. Width</b>	
<b>Max.Thickness</b>	
<b>History</b>	2011
<b>Rocker</b>	
<b>Weights</b>	x30 x40
<b>Stringer</b>	No stringer 1/8 DBS(Double Blue Stringer)

データ数値 個体差あり

# Bennett-Dion EPS Foam System

## EPS 9'2 V1




<b>Actual Deck Length</b>	<b>285.0cm</b>
<b>Max. Width</b>	<b>62.0cm</b>
<b>Max.Thickness</b>	<b>7.6cm</b>
<b>History</b>	<b>2016</b>
<b>Rocker</b>	<b>V1</b>
<b>Type</b>	<b>Blocked Foam</b>
<b>Stringer</b>	<b>Stringerless 1/4 2 stringer</b>

*Performance model Thinner version of EPS 9'2F V1 model*

データ数値 個体差あり

*Bennett-Dion EPS Foam System*

***EPS 9'2F V1***




<b>Actual Deck Length</b>	<b>285.0cm</b>
<b>Max. Width</b>	<b>62.0cm</b>
<b>Max.Thickness</b>	<b>8.6cm</b>
<b>History</b>	<b>2016</b>
<b>Rocker</b>	<b>V1</b>
<b>Type</b>	<b>Blocked Foam</b>
<b>Stringer</b>	<b>stringerless 1/4 2 stringer</b>

*Performance model Thicker version of EPS 9'2 V1 model*

データ数値 個体差あり

# Bennett-Dion EPS Foam System

## EPS 9'2 V2




<b>Actual Deck Length</b>	<b>285.0cm</b>
<b>Max. Width</b>	<b>62.0cm</b>
<b>Max.Thickness</b>	<b>8.6cm</b>
<b>History</b>	<b>2016</b>
<b>Rocker</b>	<b>V2</b>
<b>Weights</b>	<b>Blocked Foam</b>
<b>Stringer</b>	<b>stringerless</b>
	<b>1/4</b>
	<b>2 stringer</b>

**All Rounder Model**

データ数値 個体差あり

EPS

# EPS 10'1"



<b>Actual Length</b>	
<b>Max. Width</b>	
<b>Max.Thickness</b>	<b>63.5cm</b>
<b>History</b>	<b>2011</b>
<b>Rocker</b>	
<b>Weights</b>	<b>x40</b>
<b>Stringer</b>	<b>1/4</b>

データ数値 個体差あり